

10-02-00

A



DOCKET NO. : MSFT-0204/155639.1 - 1 -

PATENT



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of:

Tanmoy Dutta and Jeremy Mazner

Serial No.: Not yet assigned

Group Art Unit: Not yet assigned

Filing Date: Filed concurrently herewith

Examiner: Not yet assigned

For: A METHOD FOR ABSTRACTING STATE TRANSITIONS WITHOUT  
REQUIRING STATE MACHINE KNOWLEDGE

EXPRESS MAIL LABEL NO: EL695383335US  
DATE OF DEPOSIT: September 29, 2000

Box ☒ Patent Application  
☐ Provisional ☐ Design

Assistant Commissioner for Patents  
Washington DC 20231

Sir:

PATENT APPLICATION TRANSMITTAL LETTER

Transmitted herewith for filing, please find

☒ A Utility Patent Application under 37 C.F.R. 1.53(b).

It is a continuing application, as follows:

☐ continuation ☐ divisional ☐ continuation-in-part of prior application number  
\_\_\_\_\_/\_\_\_\_\_.

☐ A Provisional Patent Application under 37 C.F.R. 1.53(c).

☐ A Design Patent Application (submitted in duplicate).

Including the following:

- ☐ Provisional Application Cover Sheet.
- ☒ New or Revised Specification, including pages 1 to 25 containing:
- ☒ Specification
  - ☒ Claims
  - ☒ Abstract
  - ☐ Substitute Specification, including Claims and Abstract.
- ☐ The present application is a continuation application of Application No. \_\_\_\_\_ filed \_\_\_\_\_. The present application includes the Specification of the parent application which has been revised in accordance with the amendments filed in the parent application. Since none of those amendments incorporate new matter into the parent application, the present revised Specification also does not include new matter.
- ☐ The present application is a continuation application of Application No. \_\_\_\_\_ filed \_\_\_\_\_, which in turn is a continuation-in-part of Application No. \_\_\_\_\_ filed \_\_\_\_\_. The present application includes the Specification of the parent application which has been revised in accordance with the amendments filed in the parent application. Although the amendments in the parent C-I-P application may have incorporated new matter, since those are the only revisions included in the present application, the present application includes no new matter in relation to the parent application.
- ☐ A copy of earlier application Serial No. \_\_\_\_\_ Filed \_\_\_\_\_, including Specification, Claims and Abstract (pages 1 - @@), to which no new matter has been added TOGETHER WITH a copy of the executed oath or declaration for such earlier application and all drawings and appendices. Such earlier application is hereby incorporated into the present application by reference.

- ☐ Please enter the following amendment to the Specification under the Cross-Reference to Related Applications section (or create such a section) : "This Application:
- ☐ is a continuation of ☐ is a divisional of ☐ claims benefit of U.S. provisional Application Serial No. \_\_\_\_\_ filed \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_
- ☐ Signed Statement attached deleting inventor(s) named in the prior application.
- ☐ A Preliminary Amendment.
- ☒ 5 Sheets of ☒ Formal ☐ Informal Drawings.
- ☐ Petition to Accept Photographic Drawings.
- ☐ Petition Fee
- ☒ An ☒ Executed ☐ Unexecuted Declaration or Oath and Power of Attorney.
- ☒ An Associate Power of Attorney.
- ☐ An ☐ Executed ☐ Copy of Executed Assignment of the Invention to \_\_\_\_\_.  
☐ A Recordation Form Cover Sheet.  
☐ Recordation Fee - \$40.00
- ☐ The prior application is assigned of record to \_\_\_\_\_

- ☐ Priority is claimed under 35 U.S.C. § 119 of Patent Application No. \_\_\_\_\_  
filed \_\_\_\_\_ in \_\_\_\_\_ (country).
- ☐ A Certified Copy of each of the above applications for which priority is  
claimed:
- ☐ is enclosed.
- ☐ has been filed in prior application Serial No. \_\_\_\_\_ filed \_\_\_\_\_.
- ☐ An ☐ Executed or ☐ Copy of Executed Earlier Statement Claiming Small Entity  
Status under 37 C.F.R. 1.9 and 1.27
- ☐ is enclosed.
- ☐ has been filed in prior application Serial No. \_\_\_\_\_ filed \_\_\_\_\_,  
said status is still proper and desired in present case.
- ☐ Diskette Containing DNA/Amino Acid Sequence Information.
- ☐ Statement to Support Submission of DNA/Amino Acid Sequence Information.
- ☐ The computer readable form in this application \_\_\_\_\_, is identical with that filed in  
Application Serial Number \_\_\_\_\_, filed \_\_\_\_\_. In accordance with 37 CFR  
1.821(e), please use the ☐ first-filed, ☐ last-filed or ☐ only computer readable  
form filed in that application as the computer readable form for the instant application.  
It is understood that the Patent and Trademark Office will make the necessary change  
in application number and filing date for the computer readable form that will be used  
for the instant application. A paper copy of the Sequence Listing is ☐ included in  
the originally-filed specification of the instant application, ☐ included in a separately  
filed preliminary amendment for incorporation into the specification.
- ☐ Information Disclosure Statement.
- ☐ Attached Form 1449.
- ☐ Copies of each of the references listed on the attached Form PTO-1449 are  
enclosed herewith.

- ☐ A copy of Petition for Extension of Time as filed in the prior case.
- ☐ Appended Material as follows: \_\_\_\_\_
- ☒ Return Receipt Postcard (should be specifically itemized).
- ☐ Other as follows: \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_

**FEE CALCULATION:**

- ☐ Cancel in this application original claims \_\_\_\_\_ of the prior application before calculating the filing fee. (At least one original independent claim must be retained for filing purposes.)

				SMALL ENTITY		NOT SMALL ENTITY	
				RATE	FEE	RATE	FEE
PROVISIONAL APPLICATION				\$75.00	\$	\$150.00	\$
DESIGN APPLICATION				\$155.00	\$	\$310.00	\$
UTILITY APPLICATIONS BASE FEE				\$345.00	\$	\$690.00	\$690.00
UTILITY APPLICATION; ALL CLAIMS CALCULATED AFTER ENTRY OF ALL AMENDMENTS							
	No. Filed	No. Extra					
TOTAL CLAIMS	23        - 20 =	3		\$9 each	\$	\$18 each	\$54.00
INDEP. CLAIMS	3                - 3 =	0		\$39 each	\$	\$78 each	\$0
FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIM				\$130	\$	\$260	\$
ADDITIONAL FILING FEE					\$		\$
TOTAL FILING FEE DUE					\$		\$744.00

☐ A Check is enclosed in the amount of \$\_\_\_\_\_.

☒ The Commissioner is authorized to charge payment of the following fees and to refund any overpayment associated with this communication or during the pendency of this application to deposit account 23-3050. This sheet is provided in duplicate.

☒ The foregoing amount due.

☒ Any additional filing fees required, including fees for the presentation of extra claims under 37 C.F.R. 1.16.


☒ Any additional patent application processing fees under 37 C.F.R. 1.17 or 1.20(d).

☐ The issue fee set in 37 C.F.R. 1.18 at the mailing of the Notice of Allowance.

☐ The Commissioner is hereby requested to grant an extension of time for the appropriate length of time, should one be necessary, in connection with this filing or any future filing submitted to the U.S. Patent and Trademark Office in the above-identified application during the pendency of this application. The Commissioner is further authorized to charge any fees related to any such extension of time to deposit account 23-3050. This sheet is provided in duplicate.

**SHOULD ANY DEFICIENCIES APPEAR** with respect to this application, including deficiencies in payment of fees, missing parts of the application or otherwise, the United States Patent and Trademark Office is respectfully requested to promptly notify the undersigned.

Date: 9/29/00

  
\_\_\_\_\_  
Michael J. Swope  
Registration No. 38,041

Woodcock Washburn Kurtz  
Mackiewicz & Norris LLP  
One Liberty Place - 46th Floor  
Philadelphia PA 19103  
Telephone: (215) 568-3100  
Facsimile: (215) 568-3439

## **SYSTEM AND METHOD FOR ABSTRACTING STATE TRANSITIONS WITHOUT REQUIRING STATE MACHINE KNOWLEDGE**

### **TECHNICAL FIELD**

5           The present invention relates generally to systems and methods for abstracting  
from a client the state transitions of an object on a server. More particularly, the invention is  
directed to abstracting from various clients the states of an object in a knowledge  
management system so that the actions that the client can perform on the object are  
dynamically determined.

### **BACKGROUND OF THE INVENTION**

10           As the amount of information stored by computer systems continues its exponential  
growth, companies are developing sophisticated information organization methods to aid  
users in both the storage and retrieval of that information. The ability to capture information,  
knowledge, and data has created a demand on organizations to absorb and analyze this  
15           information, knowledge, and data in a focused way. Organizations and people within  
organizations that effectively harness this information, knowledge, and data have a  
competitive advantage.

20           The onslaught of information has in turn changed the way in which people within  
organizations interact with information and collaborate in the preparation of projects. For  
example, the ability for people within organizations to collaborate on the preparation and  
review of a document has changed the way people interact allowing people to gain  
knowledge from their experiences and their peers' expertise. The need for effective

collaboration in the preparation of documents has become essential to completion of projects.

Lack of effective collaboration affects an organization's ability to meet time-to-market constraints, affects bottom line costs, and minimizes top line profitability. To achieve effective collaboration, the collaborative environment must be optimized, information feeds  
5 must be integrated wherever possible, and the right tools must be available to visualize and disseminate information rapidly and meaningfully.

Client-server environments facilitate collaboration by providing a central repository of information by way of a server that can provide a common platform for people to interact with by way of client computers. Client-server systems allow a centralized server to  
10 uniformly control aspects of the client interaction with programs and data on the server. One such example system is a document management system that provides a mechanism whereby multiple clients can collaborate in development of documents and other objects. Typically, such systems maintain objects in a central location (i.e. on a server) and control the access to the object by multiple clients. In this way, collaboration can be coordinated so that multiple  
15 clients are not simultaneously changing the object. For example, clients can access the server and "check-out" an object. Thereafter, other clients attempting to access the object will be notified that that object is in a "checked-out" state and may be prohibited from changing the object. Additionally, clients may see other object states such as "checked-in", "expired", and so on. While the server typically maintains control over the object, access to the object is  
20 typically provided by client software. Controlling the functionality of access to the object at the server would provide uniformity across clients and provide for a more flexible system



design. Hence, there is a need to provide an improved system and method for controlling the access to and the manipulation of objects in a client-server environment wherein a plurality of clients have varying access to a plurality of objects stored on the server.

5

### **SUMMARY OF THE INVENTION**

To meet the above need, the present invention provides a flexible, server based system for controlling the operations on objects (i.e., the manner in which users can access and manipulate objects), particularly in a document management system. This functionality is achieved by providing a server-based state-transition model for objects in its domain. The state transition model maintains at the server allowable states for object and allowable transitions between the states. Based on that state transition model, the server can determine what operations are permitted to be performed on a given object to transition the object from its current state to a new state. Whenever a client desires to perform operations upon the object, the client makes a request to the server for currently permitted operations. In this way, clients are divorced from the complexity of the system (e.g., the document management system) and the operations that are permitted to transition a given object to a different state. This use of a state transition model provides among other advantages, uniformity of interfaces, faster system upgrades, and so on.

The system comprises a server that maintains an object or objects to be accessed by a client. The server maintains a set of states and state transitions for each object and maintains a current state of each object. When the server receives a request for an object

from a client computer, the server provides to the client the object, the current state of the object, and selected state transitions. The selected state transitions are based on the current state. Thereafter, the client may only perform the state transitions to the object based on said selected state transitions provided by the server.

5

### **BRIEF DESCRIPTION OF THE DRAWINGS**

The foregoing summary, as well as the following detailed description of the preferred embodiments, is better understood when read in conjunction with the appended drawings. For the purpose of illustrating the invention, there is shown in the drawings exemplary constructions of the invention; however, the invention is not limited to the specific methods and instrumentalities disclosed. In the drawings:

Figure 1 is a schematic diagram representing a network computer model in which aspects of the present invention may be incorporated;

Figure 2. is an illustration of the storage and retrieval of objects and state information in accordance with the invention;

Figure 3 is a flowchart illustrating the flow of control in client access to objects maintained by the server in accordance with the present invention;

Figure 4 is an exemplary state diagram that illustrates the transitions of a document between states in accordance with an aspect of the invention;

Figure 5 is an illustration of the modification of a drop-down box to include allowed operations on an object in accordance with an aspect of the invention; and

Figure 6 is an illustrative computer system on which the software and methods of the present invention may be executed.

## **DETAILED DESCRIPTION OF THE INVENTION**

### **OVERVIEW**

The present invention addresses the need for a system and method for  
5 managing collaborative access to objects. To that end, the system and method provide  
centralized control over objects and provide a platform wherein actions to be performed on  
an object are based on the current state of the object and valid transitions from those states.  
The valid states are maintained on a per-object basis and can be controlled based on the  
permissions granted to the user.

### **EXEMPLARY OPERATING ENVIRONMENT**

The present invention is preferably deployed in a network environment,  
particularly where that network is an Internet or Intranet environment. The term "Internet" is  
an abbreviation for "Internetwork," and refers commonly to the collection of networks and  
gateways that utilize the TCP/IP suite of protocols, which are well-known in the art of  
15 computer networking. TCP/IP is an acronym for "Transmission Control Protocol/Internet  
Protocol." The Internet can be described as a system of geographically distributed remote  
computer networks interconnected by computers executing networking protocols that allow  
users to interact and share information over the networks. Because of such wide-spread  
information sharing, remote networks such as the Internet have thus far generally evolved  
20 into an "open" system for which developers can design software applications for performing  
specialized operations or services, essentially without restriction.

Electronic information transferred between data-processing networks is usually presented in hypertext, a metaphor for presenting information in a manner in which text, images, sounds, and actions become linked together in a complex non-sequential web of associations that permit the user to "browse" or "navigate" through related topics, regardless of the presented order of the topics. These links are often established by both the author of a hypertext document and by the user, depending on the intent of the hypertext document. For example, traveling among links to the word "iron" in an article displayed within a graphical user interface in a data-processing system might lead the user to the periodic table of the chemical elements (i.e., linked by the word "iron"), or to a reference to the use of iron in weapons in Europe in the Dark Ages. The term "hypertext" was coined in the 1960s to describe documents, as presented by a computer, that express the nonlinear structure of ideas, as opposed to the linear format of books, film, and speech.

The term "hypermedia," on the other hand, more recently introduced, is nearly synonymous with "hypertext" but focuses on the non-textual components of hypertext, such as animation, recorded sound, and video. Hypermedia is the integration of graphics, sound, video, or any combination thereof into a primarily associative system of information storage and retrieval. Hypermedia, as well as hypertext, especially in an interactive format where choices are controlled by the user, is structured around the idea of offering a working and learning environment that parallels human thinking--that is, an environment that allows the user to make associations between topics rather than move sequentially from one to the next, as in an alphabetic list. Hypermedia, as well, as hypertext topics, are thus linked in a manner

that allows the user to jump from one subject to other related subjects during a search for information. Hyper-link information is contained within hypermedia and hypertext documents, which allow a user to move back to "original" or referring network sites by the mere "click" (i.e., with a mouse or other pointing device) of the hyper-linked topic.

5       A typical networked system that utilizes hypertext and hypermedia conventions follows a client-server architecture. The "client" is a member of a class or group that uses the services of another class or group to which it is not related. Thus, in computing, a client is a process (i.e., roughly a set of instructions or tasks) that requests a service provided by another program. The client process utilizes the requested service without having to "know" any  
10       working details about the other program or the service itself. In a client-server architecture, particularly a networked system, a client is usually a computer that accesses shared network resources provided by another computer (i.e., a server).

15       A request by a user for, by way of example, objects such as graphics, video, text and so on, can be sent by a client application program to a server. A server is typically a remote computer system accessible over a remote network such as the Internet. The server scans and searches for raw (e.g., unprocessed) information sources (e.g., newswire feeds or  
20       newsgroups). Based upon such requests by the user, the server presents filtered electronic information as server responses to the client process. The client process may be active in a first computer system, and the server process may be active in a second computer system,  
20       communicating with one another over a communications medium, thus providing distributed functionality and allowing multiple clients to take advantage of the information-gathering

capabilities of the server.

Client and server communicate with one another utilizing the functionality provided by Hypertext-Transfer Protocol (HTTP). The World Wide Web (WWW) or, simply, the "Web," includes those servers adhering to this standard (i.e., HTTP) which are accessible to clients via a computer or data-processing system network address such as a Uniform Resource Locator (URL). The network address can be referred to as a Universal Resource Locator address. For example, communication can be provided over a communications medium. In particular, the client and server may be coupled to one another via TCP/IP connections for high-capacity communication. Active within the client is a first process, known as a "browser," which establishes the connection with the server and presents information to the user. The server itself executes corresponding server software that presents information to the client in the form of HTTP responses. Of course, applications other than browser may operate on a client and communicate with the server using HTTP. However, browser are one example of a common application that communicates using HTTP. The HTTP responses correspond to "web pages" constructed from a Hypertext Markup Language (HTML), or other server-generated data. Each web page can also be referred to simply as a "page."

The client typically displays the information provided through the network by the server, using a software application known as a browser. Most browsers have modern graphical user interfaces that are capable of displaying and manipulating various types of data. A graphical user interface is a type of display format that enables a user to choose

commands, start programs, and see lists of files and other options by pointing to pictorial representations (icons) and lists of menu items on the screen. Choices can be activated generally either with a keyboard or a mouse. Internet services are typically accessed by specifying a unique network address (i.e., typically with a URL). The URL address has two  
5 basic components, the protocol to be used and the object pathname. For example, the URL address, "http://www.uspto.gov" (i.e., home page for the U.S. Patent and Trademark Office), specifies a protocol of HTTP and a pathname of the server ("www.uspto.gov"). The server name is associated with one or more equivalent TCP/IP address.

Figure 1 illustrates an exemplary environment in which the present invention may be employed. Of course, actual environments can be arranged in a variety of configurations;  
10 however, the environment is shown here in the context of a client server system to provide a framework for understanding the type of environment in which the present invention operates. The system may include client computers 20, 20a, which could be personal computers, thin clients, hand-held computing devices, and so on. Additionally, the system  
15 may include a server computer 22, and storage 70, which is coupled to and controlled by server computer 22. The client and server computers communicate with each other by way of communications network 80, which may be a LAN, a WAN, intranet, the Internet, etc.

Client computers 20, 20a and server computer 22 are connected to communications network 80 by way of communications interfaces 82. Communications  
20 interfaces 82 can be any one of the well-known communications interfaces such as Ethernet connections, modem connections, DSL connections and so on. Communications interfaces



82 may also be by way of an intermediate communications network such as a LAN.

According to aspects of the present invention, users of client computers 20, 20a may generate and manipulate objects 10 (e.g., DOC<sub>A</sub>) that must be stored for later retrieval for editing, viewing, and the like. The generic term user(s) is used herein to  
5 designate all users of the system; however, in practice user may be distinguished into different classes depending on his or her particular use. For example, a user may be a producer of documents (i.e., an author/editor/creator), a consumer (i.e. a reader trying to find particular documents), or both. Each user may have a different set of operations that they are authorized to perform on document 10. As used herein, the term object refers to any file that  
10 contains data and may contain text, graphics, special codes, or a combination of some or all of these. To facilitate object management, the objects generated by client computers 20, 20a are stored in object storage 70 and are thus transmitted to server computer 22 over communications network 80. Server computer 22 then determines the proper storage of the objects in object storage 70.

15 In addition to the generation of objects, users of client computers 20, 20a may also desire to share objects with other users, e.g., to collaborate on the object development. In order to retrieve objects generated by other users, users make requests to server computer 22 for documents stored in object storage 70. Server computer 22 then retrieves the requested documents and transmits them back to the requesting user's client computer 20,  
20 20a by way of communications network 80.

Server 22 maintains objects and information necessary to control access to the

object in object storage 70. Figure 2 illustrates how client 20 interacts with the server 22 to access and manipulate an object 10. When a user of client computer 20 desires access to an object (e.g.,  $DOC_A$ ) client components 21 make a request 201a to server 22. Server 22 has a request infrastructure component 23 that accepts the request and retrieves (221a, 221b) the  
5 appropriate object 10 and/or object information 11 from object storage 70. Notably, the object information 11 comprises state information related to the potential states of the object (e.g., state 1, state 2, state 3, state 4), the current state of the object (e.g., shown here as cross-hatched state 4), and the possible state transitions (e.g., transition from state 4 to state 3). Some or all of this information 11 is transferred (201b) in connection with object 10 by  
10 server request infrastructure 23 back to client components 21 where the information can be conveyed to give a user appropriate allowed actions on object 10.

According to an aspect of the invention, the operations that a given client 20, 20a may perform on object 10 are dictated by the information 11 associated with object 10, in conjunction with the client's security permissions. Thus, for example, in the illustrative  
15 example of Figure 2 wherein the object 10 is in state 4, the object may only transition to state 3 as indicated by the state transition to state 3 from state 4 and the lack of any other transitions out of state 4. Furthermore, this transition to state 3 may only be allowed for a certain set of clients. By maintaining the information 11 by server 22, any modifications to the information 11, such as the state model associated with object 10, can be made by way of  
20 server 22 and dynamically delivered to client 20. In this way, the system is more flexible in that changes made in a central location (e.g. object store 70) are replicated to a plurality of

clients. Moreover, client 20 does not need to understand in advance all of the allowed states and state transitions for a given object 10 (which may differ for different objects and different users) but rather obtains the information as needed for each object.

Figure 3 is a flow chart that provides further detail of the process performed by client components 21 in conjunction with server request infrastructure 23 whereby client 20 accesses an object 10 and its related information (refer also to Figure 2). Initially, a user makes a request for an object by way of a client computer 20. That request is processed by client component 21 (301). An exemplary format for carrying out the request would be, in the case of a request for  $DOC_A$ , for client 20 to send a command to server 22 of the format INVOKE  $DOC_A$  <operation>GetOpsAllowed</operation>. This request is received by server request infrastructure 23 (303). In response, server request infrastructure 23 retrieves  $DOC_A$  from object storage 70 to determine the current state (305). The server request additionally retrieves the current set of state transitions for the object (307). For example, Figure 4 illustrates an exemplary state transition diagram for a document management system. Using the example of state transitions of Figure 4, the set of valid state transitions could be stored in a table of the form:

From State	To State	Operation (Transition) Name	Credential
None	Checked-Out	Create	All
Checked Out	Checked-In	Check-In	Group A
Checked-In	Checked-Out	Check-Out	All

Checked-In	Expired	Delete	Group B
Expired	Checked-In	Restore	Group B

Table 1 – Sample State Transitions

From the set of all possible valid transitions, the presently valid transitions can be determined based on the current state. Thus for example, if  $DOC_A$  is currently in a “Checked-In” state, the possible valid state transitions and thus operations are “Check-Out” and “Delete.” Hence, this set of states could be returned to the user. However, in accordance with an aspect of the invention, the set of valid operations could be further filtered based on the user’s credentials. For example, it may be the case that all users are not permitted to perform a “Delete” operation. Accordingly, the users credentials are examined and compared to the Credential required to perform the operation. So in the present example in order to perform the operation of “Delete,” the user must have a credential available to users in Group B; whereas all users may merely “Check-Out”  $DOC_A$  (309).

In accordance with another aspect of the invention, by storing the possible state transitions centrally, the operation (transition) name may be easily converted to a localized name. By merely examining the users language parameter, the operation name may be converted by the server before returning the operation name to the user. This ensures that the server always returned the allowed operations in the language of the client user.

After determining the set of valid operations, the server request infrastructure 23 returns the set of filtered operations to client components 21 (311). Continuing with the document management example, where  $DOC_A$  is in a “Checked-In” state, in an exemplary

embodiment the set of filtered operations returned to client components 21 may take the form of:

```
<Ops Allowed>
<Value>Check-Out</Value>
5 <Value>Delete</Value>
</Ops Allowed>
```

When client components 21 receives the set of operations allowed, the operations are presented to the user (313). This is the essence of the invention – at this point, the client requires no local logic for determining what operations are allowed. Figure 5 shows how a “File” drop-down box would display the available operations. If, for example, the user selected “Check-Out,” the client components 21 would then transmit the selection back to server request infrastructure 23 (315). In an exemplary embodiment, the request would take the form of: INVOKE DOC<sub>A</sub> <operation>Check-Out</operation>. Server request infrastructure 23 would then update the current state of DOC<sub>A</sub>.

Along with the list of operations, the server can optionally send back a template of the HTTP invoke command to the client. The client processing then would simply reduce to:

- Receiving the choice of operation from the client;
- Displaying the necessary user interface to fill-in the template received from the server;
- Sending the filled out request to the server.

In this way, the client can be made agnostic of the functionality of the server.

Figure 6 illustrates an exemplary computing environment in which the

program code that embodies the methods or system of the present invention may be executed. Those skilled in the art will appreciate that the invention may be practiced with other computer system configurations, including hand-held devices, multiprocessor systems, microprocessor-based or programmable consumer electronics, network PCs, minicomputers, 5 mainframe computers, and the like. The invention may also be practiced in distributed computing environments where tasks are performed by remote processing devices that are linked through a communications network. In a distributed computing environment, program code and program modules comprising program code may be located in both local and remote memory storage devices.

10 With reference to Figure 6, an exemplary system for implementing the invention includes a general purpose computing device in the form of a conventional computer 1120, including a processing unit 1121, a system memory 1122, and a system bus 1123 that couples various system components including the system memory to the processing unit 1121. The system bus 1123 may be any of several types of bus structures including a 15 memory bus or memory controller, a peripheral bus, and a local bus using any of a variety of bus architectures. The system memory includes read only memory (ROM) 1124 and random access memory (RAM) 1125. A basic input/output system 1126 (BIOS), containing the basic routines that helps to transfer information between elements within the computer 1120, such as during start-up, is stored in ROM 1124. The computer 1120 further includes a hard disk 20 drive 1127 for reading from and writing to a hard disk, not shown, a magnetic disk drive 1128 for reading from or writing to a removable magnetic disk 1129, and an optical disk

drive 1130 for reading from or writing to a removable optical disk 1131 such as a CD ROM or other optical media. The hard disk drive 1127, magnetic disk drive 1128, and optical disk drive 1130 are connected to the system bus 1123 by a hard disk drive interface 1132, a magnetic disk drive interface 1133, and an optical drive interface 1134, respectively. The drives and their associated computer-readable media provide nonvolatile storage of computer readable instructions, data structures, program modules and other data for the computer 1120. Although the exemplary environment described herein employs a hard disk, a removable magnetic disk 1129 and a removable optical disk 1131, it should be appreciated by those skilled in the art that other types of computer readable media which can store data that is accessible by a computer, such as magnetic cassettes, flash memory cards, digital video disks, Bernoulli cartridges, random access memories (RAMs), read only memories (ROM), and the like, may also be used in the exemplary operating environment.

A number of program modules may be stored on the hard disk, magnetic disk 1129, optical disk 1131, ROM 1124 or RAM 1125, including an operating system 1135, one or more application programs 1136, other program modules 1137, and program data 1138. A user may enter commands and information into the computer 1120 through input devices such as a keyboard 1140 and pointing device 1142. Other input devices (not shown) may include a microphone, joystick, game pad, satellite dish, scanner, or the like. These and other input devices are often connected to the processing unit 1121 through a serial port interface 1146 that is coupled to the system bus, but may be connected by other interfaces, such as a parallel port, game port or a universal serial bus (USB). A monitor 1147 or other

type of display device is also connected to the system bus 1123 via an interface, such as a video adapter 1148. In addition to the monitor, computers typically include other peripheral output devices (not shown), such as speakers and printers.

The computer 1120 may operate in a networked environment using logical connections to one or more remote computers, such as a remote computer 1149. The remote computer 1149 may be another computer, a server, a router, a network PC, a peer device or other common network node, and typically includes many or all of the elements described above relative to the computer 1120, although only a memory storage device 1150 has been illustrated in Figure 6. The logical connections depicted in Figure 6 include a local area network (LAN) 1151 and a wide area network (WAN) 1152. Such networking environments are commonplace in offices, enterprise-wide computer networks, intranets and the Internet.

When used in a LAN networking environment, the computer 1120 is connected to the local network 1151 through a network interface or adapter 1153. When used in a WAN networking environment, the computer 1120 typically includes a modem 1154 or other means for establishing communications over the wide area network 1152, such as the Internet. The modem 1154, which may be internal or external, is connected to the system bus 1123 via the serial port interface 1146. In a networked environment, program modules depicted relative to the computer 1120, or portions thereof, may be stored in the remote memory storage device. It will be appreciated that the network connections shown are exemplary and other means of establishing a communications link between the computers may be used.



While the invention is susceptible to various modifications and alternative constructions, certain illustrated embodiments have been shown in the drawings and accompanying detailed description. It should be understood, however, that there is no intention to limit the invention to the specific constructions disclosed herein. For example, while the primary example used throughout was described in connection with a document management system, the present invention is by no means limited to such a system, but could be useful in any system wherein textual, graphic, or other information is managed. Indeed, any system which can be modeled as a finite state machine that requires interaction from remote clients to transition from one state to another in that state machine, would benefit from the invention. As such, the invention is intended to cover all modifications, alternative constructions, and equivalents falling within the scope and spirit of the invention.

## CLAIMS

### WHAT IS CLAIMED IS:

1. A method for controlling operations on an object, comprising the acts of:

5           providing a server maintaining at least one object, wherein the object is  
capable of existing in one state selected from a set of states;  
maintaining the set of states associated with said object and state transitions  
for indicating valid transitions among states in the set of states and maintaining an  
indication of a current state of said object wherein said current state is a state selected  
10          from said set of states;

receiving a request for said object from a second computer; and

providing said object, an indication of said current state, and an indication of  
selected state transitions based on said current state to said second computer whereby  
the second computer may only perform the state transitions based on said selected  
15          state transitions.

2. The method of claim 1 wherein the object comprises a document.

3. The method of claim 1 wherein the selected state transitions are filtered based on  
20          the permissions granted to the requestor.

4. The method of claim 1 wherein the selected states transitions are transmitted as operations that may be performed upon the object.

5. The method of claim 4 wherein the server determines the names of the operations  
5 in accordance with a local language of the requestor.

6. The method as recited in claim 1 further comprising the act of receiving a request to transition the object to another state wherein the another state is one of the selected state transitions.

7. The method as recited in claim 6 further comprising the act of changing the state of the object to the another state.

8. The method as recited in claim 1 wherein the selected states are maintained in a  
15 table of states and associated valid state transitions that are associated with the object.

9. A computer-readable medium bearing computer executable instructions capable of carrying out the acts recited in claim 1.

20 10. An object management system, comprising:

a data structure for at least one object in a set of objects in said object management

system, comprising for said at least one object a set of states in which said object may be maintained, a set of transitions between said states, and a current state;

computer-readable server instructions that receive requests from a client for said object and retrieve from said data structure at least a subset of transitions between states,

5 where said subset of transitions is based upon transitions out of the current state; and

computer-readable server instructions that return to said client an indication of at least the subset of transitions between states.

11. The object management system as recited in claim 10 further comprising

10 computer-readable server instructions capable of changing the data structure to change the current state of the at least one object to a selected state of the states in the set of states where the selected state is based on a transition between states contained in the subset of transitions returned to the client.

15 12. The object management system as recited in claim 10 wherein the objects comprises documents.

13. The object management system as recited in claim 10 wherein the recited computer-readable instructions reside on a server accessible by way of a network.

20

14. The object management system as recited in claim 13 wherein the network

comprises an Internet.

15. The object management system as recited in claim 10 further comprising a set of computer-readable instructions residing on a client, said computer-readable instructions  
5 requesting from said computer-readable server instructions a subset of state transitions for the at least one object, receiving in return the subset of state transitions, and presenting a user with operations capable of being performed on said object where the operations are based on the subset of state transitions.

10 16. The system of claim 10 wherein the indication of the subset states transitions are transmitted as operations that may be performed upon the object.

17. The system of claim 16 wherein the indication of the operations are presented in accordance with a local language of the requestor.

15 18. The system as recited in claim 10 wherein the set of states are maintained in a table of states and associated valid state transitions that are associated with the object.

19. A method of interacting with an object management system, comprising:  
20 providing a indication of a plurality objects within the object management system;  
inputting a request to operate upon a selected one of the plurality of objects within the

object management system;

transmitting the request to a server that maintains a data structure for the selected object comprising a set of states in which the object may exist, a set of transitions between said states, and a current object state, whereby the server provides an indication of a subset of transitions between states, where said subset of transitions is based upon transitions out of the  
5 current object state; and

providing an indication of operations that may be performed upon said object where said operations are based upon the subset of transitions provided by the server.

10 20. The method of claim 19 wherein the object is a document.

21. The method of claim 20 wherein the operations comprise document check-out operations.

22. The method of claim 19 wherein the act of transmitting occurs of a computer  
15 network.

23. The method of claim 22 wherein the network comprises an Internet.

### **ABSTRACT OF THE INVENTION**

A system and method employ a client-server architecture that abstracts from the client the states of objects and transitions between the states. As a result, the server maintains  
5 objects, along with associated states, and state transitions that are provided to clients on demand. The client is only provided with a set of valid transitions between states that are based on the current state of the object and valid transitions out of that state. The states may be additionally filtered based on the permissions granted to the client. In this way, the client is relieved of prior knowledge of valid object states and state transitions. Hence, in a  
10 document management system, for example, new states and transitions for objects may be added at the server and propagated through to the clients.

FIG. 1 is a block diagram of a system architecture. The system includes a Server Computer (22) connected to Object Storage (70). The Server Computer (22) is also connected to a Communications Network (80). The Communications Network (80) is connected to two Client Computers (20a and 20). Each Client Computer (20a and 20) is connected to a Document Object (DOC<sub>A</sub>) (10) via a connection (82). The Document Object (DOC<sub>A</sub>) (10) is also connected to the Communications Network (80) via a connection (82).




FIGURE 1






FIGURE 2




Figure 3




Figure 4

<u>File</u>
<u>O</u> pen
<u>C</u> lose
<u>C</u> heck- <u>O</u> ut
De <u>l</u> ete

Figure 5




Figure 6

DOCKET NO. MSFT-0204/155639.1

PATENT

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

## In Re Application of:

Tanmoy Dutta and Jeremy Mazner

Group Art Unit: Not yet  
assignedFor: A METHOD FOR ABSTRACTING  
STATE TRANSITIONS WITHOUT  
REQUIRING STATE MACHINE  
KNOWLEDGE

Examiner: Not yet assigned

## DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name; and

I believe that I am the original, first and sole inventor (if only one name is listed below) or an  
original, first and joint inventor (if plural names are listed below) of the subject matter which is  
claimed and for which a☒ Utility Patent☐ Design Patent

is sought on the invention, whose title appears above, the specification of which:

☒ is attached hereto.☐ was filed on \_\_\_\_\_ as Serial No. \_\_\_\_\_.☐ said application having been amended on \_\_\_\_\_.

DOCKET NO. MSFT-0204/155639.1 - 2 -

PATENT

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose to the U.S. Patent and Trademark Office all information known to be material to the patentability of this application in accordance with 37 C.F.R. §1.56.

I hereby claim foreign priority benefits under 35 U.S.C. §119(a-d) of any **foreign application(s)** for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of any application on which priority is claimed.

Priority Claimed (If X'd)	Country	Serial Number	Date Filed
_____	_____	_____	_____
_____	_____	_____	_____

I hereby claim the benefit under 35 U.S.C. §120 of any **United States application(s)** listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of 35 U.S.C. §112, I acknowledge the duty to disclose to the U.S. Patent and Trademark Office all information known to be material to patentability as defined in 37 C.F.R. §1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

Serial Number	Date Filed	Patented/Pending/Abandoned
_____	_____	_____
_____	_____	_____
_____	_____	_____

**DOCKET NO. MSFT-0204/155639.1 - 3 -****PATENT**

I hereby claim the benefit under 35 U.S.C. §119(e) of any United States **provisional application(s)** listed below:

**Serial Number****Date Filed**

---

---

---

---

I hereby appoint the following persons as attorney(s) and/or agent(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

**Kate E. Sako            Registration No. 32,628**

**Daniel D. Crouse      Registration No. 32,022**

of **MICROSOFT CORPORATION**, One Microsoft Way, Redmond, WA 98052 and

**Steven J. Rocci        Registration No. 30,489**

**Michael J. Swope      Registration No. 38,041**

of **WOODCOCK WASHBURN KURTZ MACKIEWICZ & NORRIS LLP**, One Liberty Place – 46<sup>th</sup> Floor, Philadelphia, Pennsylvania 19103.

Please address all telephone calls and correspondence to:


**Michael J. Swope**  
**WOODCOCK WASHBURN KURTZ**  
**MACKIEWICZ & NORRIS LLP**  
One Liberty Place – 46<sup>th</sup> Floor  
Philadelphia, PA 19103  
Telephone: (215) 568-3100


I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

DOCKET NO. MSFT-0204/155639.1

- 4 -

PATENT

<b>Name:</b> Tanmoy Dutta	<b>Signature:</b> 
<b>Mailing Address:</b> 23224 NE 21 <sup>st</sup> Place	<b>Date of Signature:</b> <u>09 28 2000</u>
<b>City/State of Actual Residence</b> Redmond, WA 98102	<b>Citizenship:</b> <u>India</u>

<b>Name:</b> Jeremy Mazner	<b>Signature:</b> 
<b>Mailing Address:</b> 616 Bellevue Avenue E.	<b>Date of Signature:</b> <u>9/28/00</u>
<b>City/State of Actual Residence</b> Seattle, WA 98102	<b>Citizenship:</b> <u>USA</u>



## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

**In Re Application of:**

Tanmoy Dutta and Jeremy Mazner

**Serial No.:** Not yet assigned**Group Art Unit:** Not yet assigned**Filed:** Filed concurrently herewith**Examiner:** Not yet assigned

**For:** A METHOD FOR ABSTRACTING  
STATE TRANSITIONS WITHOUT  
REQUIRING STATE MACHINE  
KNOWLEDGE

Assistant Commissioner for Patents  
Washington DC 20231

Sir:

**ASSOCIATE POWER OF ATTORNEY**

The undersigned, of the firm WOODCOCK WASHBURN KURTZ  
MACKIEWICZ & NORRIS LLP, One Liberty Place - 46th Floor, Philadelphia, Pennsylvania  
19103, Attorney and/or Agents for Applicant(s), hereby appoints the following:


Robert B. Washburn	Registration No. 16,574	Doreen Yatko Trujillo	Registration No. 35,719
Richard E. Kurtz	Registration No. 19,263	Barbara L. Mullin	Registration No. 38,250
John J. Mackiewicz	Registration No. 19,709	Kevin M. Flannery	Registration No. 35,871
Norman L. Norris	Registration No. 24,196	Michael P. Straher	Registration No. 38,325
Dale M. Heist	Registration No. 28,425	David A. Cherry	Registration No. 35,099
John W. Caldwell	Registration No. 28,937	Terence P. Strobaugh	Registration No. 25,460
Gary H. Levin	Registration No. 28,734	Lynn A. Malinoski	Registration No. 38,788
Steven J. Rocci	Registration No. 30,489	Michael J. Bonella	Registration No. 41,628
Dianne B. Elderkin	Registration No. 28,598	Harold H. Fullmer	Registration No. 42,560
John P. Donohue, Jr.	Registration No. 29,916	William R. Richter	Registration No. 43,879
Henrik D. Parker	Registration No. 31,863	John E. McGlynn	Registration No. 42,863
Suzanne E. Miller	Registration No. 32,279	Kimberly R. Hild	Registration No. 39,224
Lynn B. Morreale	Registration No. 32,842	Jonathan M. Waldman	Registration No. 40,861
Mark DeLuca	Registration No. 33,229	Chad Ziegler	Registration No. 44,273
Joseph Lucci	Registration No. 33,307	Gwilym J.O. Attwell	Registration No. 45,449
Michael P. Dunnam	Registration No. 32,611	David N. Farsiou	Registration No. 44,104
Michael D. Stein	Registration No. 34,734	Paul K. Legaard	Registration No. 38,534
Albert J. Marcellino	Registration No. 34,664	Maureen S. Gibbons	Registration No. 44,121
David R. Bailey	Registration No. 35,057	Steven H. Meyer	Registration No. 37,189

Paul B. Milcetic                      Registration No. P46,261  
Joseph R. Condo                    Registration No. 42,431  
Michael K. Jones                   Registration No. 41,100  
Frank T. Carroll                    Registration No. 42,392  
Hans J. Crosby                     Registration No. 44,634  
Mark J. Rosen                      Registration No. 39,822  
Mitchell R. Brustein               Registration No. 38,394  
Eric H. Vance                      Registration No. P47,151  
Peter M. Ullman                    Registration No. 43,963  
Richard B. LeBlanc                Registration No. 39,495  
Joseph D. Rossi                    Registration No. 47,039  
George J. Awad                    Registration No. P46,528  
Steven D. Maslowski              Registration No. P46,905

S. Maurice Valla                    Registration No. 43,966  
Vincent J. Roccia                  Registration No. 43,887  
Robin S. Quartin                   Registration No. 45,028  
Maria M. Kourtakis                Registration No. 41,126  
Christine A. Goddard              Registration No. P46,731  
Gregory L. Hillyer                Registration No. 44,154  
Thomas E. Watson                 Registration No. 43,243  
Patrick J. Farley                   Registration No. 42,524  
Ellen M. Klann                    Registration No. 44,836  
Steven B. Samuels                Registration No. 37,711  
Susan C. Murphy                  Registration No. 46,221

his/her associates with full power to prosecute the above-identified application and to transact all business in the Patent Office connected therewith and requests that correspondence continue to be directed to the firm of WOODCOCK WASHBURN KURTZ MACKIEWICZ & NORRIS LLP at the above address.

Date: 9/29/00

  
\_\_\_\_\_  
Michael J. Swope  
Registration No. 38,041

Woodcock Washburn Kurtz  
Mackiewicz & Norris LLP  
One Liberty Place - 46th Floor  
Philadelphia PA 19103  
Telephone: (215) 568-3100  
Facsimile: (215) 568-3439